



MIXER

The **Mixer Clean** mixer is an essential accessory for your on-farm dosing system, as it has been designed to achieve perfect homogenization of the stock solution.

The key to its success lies in the combination of a number of core features that make it an efficient, high-capacity machine.

Gear motor **Programmable** controller **230**_{VAC} **12**_{vcc} **Suction** pipe 110_{VAC} **Corrosion-resistant** materials **Cleaning system** The high-flow lower cap allows the system to be emptied and cleaned quicky after use. The threaded connection allows for the installation of different accessories, such as our PVC-valve adapter for easy daily cleaning. The suction assembly with the quick-release mechanism allows us to thoroughly clean the tube and suction system of the dosing pump. Cleaning can be carried out quickly and easily in continuous operation, without having to stop the application. **Defoaming** Lower propeller draining > cap

Gear motor

out producing foam.

For precise dosing, use the low-speed anti-foam mixing system. The gear motor moves the propeller at low revolutions (200 rpm) to slowly stir the mixture with-

To adapt to the different needs of each installation, there are a variety of motors

VOLTAGE

available with different voltages and tanks with different capacities.

CAPACITY



Pol. Industrial El Pla, c/Lluís Companys 5 Artesa de Segre 25730 (Lleida) Spain

& tel. (34) 973 400 840

EMEA

Europe, Africa & Middle East emea@tashia.es

LATAM

Latin America latam@tashia.es

APAC

Asia & Pacific apac@tashia.es